

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	11716	((385/88,89,92-94) or (257/99,433,712,729,730) or (361/702-704,707,709,711) or (174/52.5)).CCLS.	US-PGPUB; USPAT	2006/03/29 09:20			
2	BRS	L2	840	stem with (((laser or photo) adj (diode or diodes)) or photodiode or photodiodes or photodetector or photodetectors or. (light adj2. (emitter or emitting or receiver or receiving)))	US-PGPUB; USPAT	2006/03/29 09:20			
3	BRS	L3	267937	heat near3 (dissipat\$ or sink or sinks or transfer\$ or transport\$ or conducted)	US-PGPUB; USPAT	2006/03/29 09:20			
4	BRS	L4	347	L2 and (L1 or L3)	US-PGPUB; USPAT	2006/03/29 09:20			
5	BRS	L5	30	L2 with (pcb or ((circuit or wiring) adj. board))	US-PGPUB; USPAT	2006/03/29 09:20			
6	BRS	L6	122	(to-can or (transistor adj outline)) with (((laser or photo) adj (diode or diodes)) or photodiode or photodiodes or photodetector or photodetectors or (light adj2 (emitter or emitting or receiver or receiving)))	US-PGPUB; USPAT	2006/03/29 09:20			
7	BRS	L7	6	L6 with (pcb or ((circuit or wiring) adj board))	US-PGPUB; USPAT	2006/03/29 09:20			
8	BRS	L8	4392	(stem or base) near5 heat near5 (sink or fin)	US-PGPUB; USPAT	2006/03/29 09:20			

(update) 606212/01

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
9	BRS	L9	95	(L2 or L6) and L8	US-PGPUB; USPAT	2006/03/29 09:20			
10	BRS	L10	555	header with (((laser or photo) adj (diode or diodes))) or photodiode or photodiodes or photodetector or photodetectors or (light adj2 (emitter or emitting or receiver or receiving)))	US-PGPUB; USPAT	2006/03/29 09:20			
11	BRS	L11	93	L10 and (L3 or L8)	US-PGPUB; USPAT	2006/03/29 09:20			
12	BRS	L12	2025	(stem or header or (to-can or (transistor adj outline))) with (pcb or ((circuit or wiring) adj board))	US-PGPUB; USPAT	2006/03/29 09:20			
13	BRS	L13	220832	(((laser or photo) adj (diode or diodes)) or photodiode or photodiodes or photodetector or photodetectors or (light adj2 (emitter or emitting or receiver or receiving)) or optical or optoelectronic).ti,ab.	US-PGPUB; USPAT	2006/03/29 09:20			
14	BRS	L14	171	L12 and L13	US-PGPUB; USPAT	2006/03/29 09:20			
15	BRS	L15	571	L4 or L5 or L7 or L9 or L11 or L14	US-PGPUB; USPAT	2006/03/29 09:20			
16	BRS	L16	571	L15	US-PGPUB; USPAT	2006/03/29 09:20			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
17	BRS	L17	27	15 and @pd>"20060118"	US-PGPUB; USPAT	2006/03/29 09:21			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	5	(stem and base and circuit and (optical or emitter or emitting) and (terminal or terminals or pin or pins) and circuit).clm.	US-PGPUB	2006/03/29 14:00			

(interference)